

## CARC OPEN DATA

You are welcome to use Classical Art Research Centre data for the purposes of private research or education. The publication or dissemination of research based on downloaded data must acknowledge the source. Please let us know how you have made use of our data. This is important for our funding and for ongoing improvements to the service.

## PROGRAMMATIC METHODS OF SEARCHING CARC OPEN DATA

1. All records in all CARC databases can be accessed through a URI. This can have an extension to specify the format of the data
  - a. None: Web friendly display
  - b. /csv: CSV format
  - c. /xml: XML format
  - d. /rdf: RDF format (CIDOC CRM encoded).

E.g.

<http://www.beazley.ox.ac.uk/record/AA1CD952-927D-41D7-B7AF-39520936CF95>



The screenshot shows the website interface for the Classical Art Research Centre at the University of Oxford. The header includes the site name and the university logo. A navigation menu lists various database categories. The main content area displays a record for an amphora neck, including a photograph of the artifact and a list of metadata.

**CLASSICAL ART RESEARCH CENTRE** UNIVERSITY OF OXFORD

Home | Beazley Archive | Pottery database | Gem research | Terracottas | Other databases | Events | Resources | Publications | People


[Back to photograph folder](#)

**1, Munich, Antikensammlungen, Munich, Antikensammlungen, Rome, Candelori Collection, 1539**



- **Vase Number:** 1
- **Fabric:** ATHENIAN
- **Technique:** BLACK-FIGURE
- **Shape Name:** AMPHORA, NECK
- **Provenance:** ITALY, ETRURIA, VULCI
- **Date:** -550 to -500
- **Attributed To:** CHIUSI P by KUNZE-GOTTE  
LEAGROS GROUP by KUNZE-GOTTE
- **Decoration:** A,B: TRIPTOLEMOS ON WINGED CHARIOT BETWEEN DEMETER AND PERSEPHONE
- **Current Collection:** Munich, Antikensammlungen: J543

<http://www.beazley.ox.ac.uk/record/AA1CD952-927D-41D7-B7AF-39520936CF95/csv>



The screenshot shows the CSV export page for the same record. The browser address bar shows the URI with the /csv extension. The page contains a long, single-line CSV string representing the record's metadata.

URI,Vase Number,Fabric,Technique,Sub Technique,Shape Name,Provenance,Date,Inscriptions, Attributed To, Decoration, Collection Record, Publication Record, Inscriptions II,Measurements,Volume,Weight,Restorations,Ornament, Technical Observations <http://www.beazley.ox.ac.uk/record/8C5C25CA-9E1C-41A2-886A-2558611DCA04.1>,ATHENIAN,BLACK-FIGURE,,"AMPHORA, NECK",,"ITALY, ETRURIA, VULCI",,-550 to -500,CHIUSI P by KUNZE-GOTTE | LEAGROS GROUP by KUNZE-GOTTE,,"A,B: TRIPTOLEMOS ON WINGED CHARIOT BETWEEN DEMETER AND PERSEPHONE",,"Munich, Antikensammlungen: J543 | Rome, Candelori Collection | Munich, Antikensammlungen: 1539",,"Corpus Vasorum Antiquorum: MUNICH, MUSEUM ANTIKER KLEINKUNST 8, 56-57, BEILAGE D4, PLS.(1816,1820,1830) 398.4,402.1-2,412.2 [View Whole CVA Plates](#) | Crouwel, J.H., Chariots and other Wheeled Vehicles in Iron Age Greece, Allard Pierson Series 9 (Amsterdam, 1992): PL.26.3 (DRAWING OF PART) | Jahrbuch des Deutschen Archaischen Instituts: 87 (1972), 81, FIGS.12, 13 (A, B)""

<http://www.beazley.ox.ac.uk/record/AA1CD952-927D-41D7-B7AF-39520936CF95/xml>

```
← → ↻ ⓘ view-source:www.beazley.ox.ac.uk/XDB/ASP/recordDetails.asp?id=AA1CD952-927D-41D7-B7AF-39520936CF95/xml
1 <?xml version="1.0" encoding="UTF-8"?>
2 <XDBData>
3 <Record id="{7BE358FB-23CE-402F-8D89-51D738C48C5D}">
4   <Vase-Number> 1 </Vase-Number>
5   <Fabric> ATHENIAN </Fabric>
6   <Technique> BLACK-FIGURE </Technique>
7   <Shape-Record>
8     <Shape-Code> NKA </Shape-Code>
9     <Shape-Name> AMPHORA, NECK </Shape-Name>
10  </Shape-Record>
11  <Provenance> ITALY, ETRURIA, VULCI </Provenance>
12  <Date>
13    <From-Date> -550 </From-Date>
14    <To-Date> -500 </To-Date>
```

<http://www.beazley.ox.ac.uk/record/AA1CD952-927D-41D7-B7AF-39520936CF95/rdf>

```
← → ↻ ⓘ view-source:www.beazley.ox.ac.uk/XDB/ASP/recordDetails.asp?id=AA1CD952-927D-41D7-B7AF-39520936CF95/rdf
1 <?xml version="1.0" encoding="UTF-8"?>
2 <!DOCTYPE rdf:RDF [
3   <!ENTITY rdf "http://www.w3.org/1999/02/22-rdf-syntax-ns#">
4   <!ENTITY rdfs "http://www.w3.org/2000/01/rdf-schema#">
5   <!ENTITY owl "http://www.w3.org/2002/07/owl#">
6   <!ENTITY crm "http://purl.org/NET/crm-owl#">
7   <!ENTITY claros "http://purl.org/NET/Claros/vocab#">
8   <!ENTITY claros_place "http://purl.org/NET/Claros/place#">
9   <!ENTITY claros_placeid "http://purl.org/NET/Claros/placeid#">
10 ]>
11 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
12   xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"
13   xmlns:owl="http://www.w3.org/2002/07/owl#"
14   xmlns:crm="http://purl.org/NET/crm-owl#"
15   xmlns:claros="http://purl.org/NET/Claros/vocab#">
16 <crm:E22_Man-Made_Object rdf:about="http://www.beazley.ox.ac.uk/record/8C5C25CA-9E1C-41A2-886A-2558611DCA04">
17   <rdfs:label>1, Munich, Antikensammlungen, Munich, Antikensammlungen, Rome, Candelori Collection, 1539</rdfs:label>
18   <crm:P102_has_title>
19     <crm:E35_Title>
20       <rdf:value>1, Munich, Antikensammlungen, Munich, Antikensammlungen, Rome, Candelori Collection, 1539</rdf:value>
21     </crm:E35_Title>
22   </crm:P102_has_title>
23   <crm:P2_has_type>
24     <crm:E55_Type>
25       <rdf:value>Pottery</rdf:value>
26     </crm:E55_Type>
27   <crm:P127_has_broader_term rdf:resource="http://purl.org/NET/Claros/vocab#ObjectType" />
28   </crm:E22_Man-Made_Object>
```

2. These URIs are displayed on the web friendly output and can be used as references by researchers. They are also included whenever a record is referenced in data e.g.

## XML

```

126 <Filename> Images200/GER37/CVA.GER37.1816.4/ </Filename>
127 <Image-No> 0 </Image-No>
128 <Licence-Plate> 11 UK 1007 46470 </Licence-Plate>
129 <Image-Type> 0 </Image-Type>
130 <Beazley-Drawing> N </Beazley-Drawing>
131 </Image-Record>
132 <URI> http://www.beazley.ox.ac.uk/record/AA1CD952-927D-41D7-B7AF-39520936CF95 </URI>
133 </Record>
134 </XDBData>

```

## CSV

```

1 URI,Vase Number,Fabric,Technique,Sub Technique,Shape Name,Provenance,Date,Inscriptions, Attributed To, De
2 http://www.beazley.ox.ac.uk/record/8C5C25CA-9E1C-41A2-886A-2558611DCA04,1,ATHENIAN,BLACK-FIGURE,, "AMPHORA
3 DEMETER AND PERSEPHONE", "Munich, Antikensammlungen: J543 | Rome, Candelori Collection | Munich, Antikens:
target=_blank href=browseCVARecord.asp?id={8C5C25CA-9E1C-41A2-886A-2558611DCA04}&startRef=>View Whole CV
OF PART) | Jahrbuch des Deutschen Archäologischen Instituts: 87 (1972), 81, FIGS.12, 13 (A, B)",,,,,,,

```

## RDF

```

1 <?xml version="1.0" encoding="UTF-8"?>
2 <!DOCTYPE rdf:RDF [
3 <!ENTITY rdf "http://www.w3.org/1999/02/22-rdf-syntax-ns#">
4 <!ENTITY rdfs "http://www.w3.org/2000/01/rdf-schema#">
5 <!ENTITY owl "http://www.w3.org/2002/07/owl#">
6 <!ENTITY crm "http://purl.org/NET/crm-owl#">
7 <!ENTITY claros "http://purl.org/NET/Claros/vocab#">
8 <!ENTITY claros_place "http://purl.org/NET/Claros/place#">
9 <!ENTITY claros_placeid "http://purl.org/NET/Claros/placeid#">
10 ]>
11 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
12 xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"
13 xmlns:owl="http://www.w3.org/2002/07/owl#"
14 xmlns:crm="http://purl.org/NET/crm-owl#"
15 xmlns:claros="http://purl.org/NET/Claros/vocab#">
16 <crm:E22_Man-Made_Object rdf:about="http://www.beazley.ox.ac.uk/record/8C5C25CA-9E1C-41A2-886A-2558611DCA04">
17 <rdfs:label>1, Munich, Antikensammlungen, Munich, Antikensammlungen, Rome, Candelori Collection, 1539</rdfs:label>
18 <crm:P102_has_title>
19 <crm:E35_Title>
20 <rdf:value>1, Munich, Antikensammlungen, Munich, Antikensammlungen, Rome, Candelori Collection, 1539</rdf:val
21 </crm:E35_Title>
22 </crm:P102_has_title>

```

3. Termword lists can be accessed through URIs.

URI format:

<http://www.beazley.ox.ac.uk/id/{field name}/{optional field value}/{optional data format}>

Where:

{field name} = any database field name e.g.: Fabric, Shape+Name, Decoration+Termword


{optional field value} = a specific value for the list e.g. Amphora, Athenian.

{optional data format} =

- a. None: Web friendly display
- b. /csv: CSV format
- c. /xml: XML format
- d. /rdf: RDF format (CIDOC CRM encoded).

E.g.


<http://www.beazley.ox.ac.uk/id/Shape+Name>



The screenshot shows a web browser window with the address bar containing the URL [www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name](http://www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name). The main content area displays a list of pottery terms and their corresponding counts:

PELIKE	(2216)
KRATER, COLUMN	(1934)
KRATER, BELL	(1885)
ALABASTRON	(1526)
CUP FRAGMENTS	(1434)
LEKYTHOS FRAGMENT	(1432)
ARYBALLOS	(1382)
PYXIS	(1365)
KRATER FRAGMENT	(1303)
BOWL	(1204)
KRATER, BELL FRAGMENT	(1147)
AMPHORA B	(1086)
CUP LITTLE MASTER BAND FRAGMENT	(1079)
VARIOUS	(1041)
CUP LITTLE MASTER BAND	(1029)
KRATER, COLUMN FRAGMENT	(943)
KANTHAROS	(916)

<http://www.beazley.ox.ac.uk/id/Shape+Name/PELIKE>



The screenshot shows a web browser window with the address bar containing the URL [www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name/PELIKE](http://www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name/PELIKE). The main content area displays the following information:

<b>Shape Name:</b> PELIKE
---------------------------

<http://www.beazley.ox.ac.uk/id/Shape+Name/xml>

```
← → ↻ ⓘ view-source:www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name/xml 1
1 <?xml version="1.0" encoding="UTF-8"?>
2 <XDBData>
3 <Shape+Name+List>
4 <Shape+Name><title>PELIKE</title><number-of-results>2216</number-of-results>
  <URI>http://www.beazley.ox.ac.uk/id/Shape+Name/PELIKE</URI></Shape+Name>
5 <Shape+Name><title>KRATER, COLUMN</title><number-of-results>1934</number-of-results>
  <URI>http://www.beazley.ox.ac.uk/id/Shape+Name/KRATER%2C+COLUMN</URI></Shape+Name>
6 <Shape+Name><title>KRATER, BELL</title><number-of-results>1885</number-of-results>
  <URI>http://www.beazley.ox.ac.uk/id/Shape+Name/KRATER%2C+BELL</URI></Shape+Name>
7 <Shape+Name><title>ALABASTRON</title><number-of-results>1526</number-of-results>
  <URI>http://www.beazley.ox.ac.uk/id/Shape+Name/ALABASTRON</URI></Shape+Name>
8 <Shape+Name><title>CUP FRAGMENTS</title><number-of-results>1434</number-of-results>
```

[www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name/csv](http://www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name/csv)

```
← → ↻ ⓘ view-source:www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name/csv 1
1 Shape Name, Number of occurrences, URI
2 PELIKE, 2216, http://www.beazley.ox.ac.uk/id/Shape+Name/PELIKE
3 "KRATER, COLUMN", 1934, http://www.beazley.ox.ac.uk/id/Shape+Name/KRATER%2C+COLUMN
4 "KRATER, BELL", 1885, http://www.beazley.ox.ac.uk/id/Shape+Name/KRATER%2C+BELL
5 ALABASTRON, 1526, http://www.beazley.ox.ac.uk/id/Shape+Name/ALABASTRON
6 CUP FRAGMENTS, 1434, http://www.beazley.ox.ac.uk/id/Shape+Name/CUP+FRAGMENTS
7 LEKYTHOS FRAGMENT, 1432, http://www.beazley.ox.ac.uk/id/Shape+Name/LEKYTHOS+FRAGMENT
8 ARYBALLOS, 1382, http://www.beazley.ox.ac.uk/id/Shape+Name/ARYBALLOS
9 PYXIS, 1365, http://www.beazley.ox.ac.uk/id/Shape+Name/PYXIS
10 KRATER FRAGMENT, 1303, http://www.beazley.ox.ac.uk/id/Shape+Name/KRATER+FRAGMENT
11 BOWL, 1204, http://www.beazley.ox.ac.uk/id/Shape+Name/BOWL
12 "KRATER, BELL FRAGMENT", 1147, http://www.beazley.ox.ac.uk/id/Shape+Name/KRATER%2C+B
```

[www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name/rdf](http://www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name/rdf)

```
← → ↻ ⓘ view-source:www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name/rdf ☆ 1
1 <?xml version="1.0" encoding="UTF-8"?>
2 <!DOCTYPE rdf:RDF [
3 <!ENTITY rdf "http://www.w3.org/1999/02/22-rdf-syntax-ns#">
4 <!ENTITY rdfs "http://www.w3.org/2000/01/rdf-schema#">
5 <!ENTITY owl "http://www.w3.org/2002/07/owl#">
6 <!ENTITY crm "http://purl.org/NET/crm-owl#">
7 <!ENTITY claros "http://purl.org/NET/Claros/vocab#">
8 <!ENTITY claros_place "http://purl.org/NET/Claros/place#">
9 <!ENTITY claros_placeid "http://purl.org/NET/Claros/placeid#">
10 ]>
11 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
12   xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"
13   xmlns:owl="http://www.w3.org/2002/07/owl#"
14   xmlns:crm="http://purl.org/NET/crm-owl#"
15   xmlns:claros="http://purl.org/NET/Claros/vocab#">
16 <Shape+Name><title>PELIKE</title><number-of-results>2216</number-of-results>
  <URI>http://www.beazley.ox.ac.uk/id/Shape+Name/PELIKE</URI></Shape+Name>
17 <Shape+Name><title>KRATER, COLUMN</title><number-of-results>1934</number-of-results>
  <URI>http://www.beazley.ox.ac.uk/id/Shape+Name/KRATER%2C+COLUMN</URI></Shape+Name>
18 <Shape+Name><title>KRATER, BELL</title><number-of-results>1885</number-of-results>
  <URI>http://www.beazley.ox.ac.uk/id/Shape+Name/KRATER%2C+BELL</URI></Shape+Name>
19 <Shape+Name><title>ALABASTRON</title><number-of-results>1526</number-of-results>
```

[www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name/Pelike/rdf](http://www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name/Pelike/rdf)



```
1 <?xml version="1.0" encoding="UTF-8"?>
2 <!DOCTYPE rdf:RDF [
3 <!ENTITY rdf "http://www.w3.org/1999/02/22-rdf-syntax-ns#">
4 <!ENTITY rdfs "http://www.w3.org/2000/01/rdf-schema#">
5 <!ENTITY owl "http://www.w3.org/2002/07/owl#">
6 <!ENTITY crm "http://purl.org/NET/crm-owl#">
7 <!ENTITY claros "http://purl.org/NET/Claros/vocab#">
8 <!ENTITY claros_place "http://purl.org/NET/Claros/place#">
9 <!ENTITY claros_placeid "http://purl.org/NET/Claros/placeid#">
10 ]>
11 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
12     xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"
13     xmlns:owl="http://www.w3.org/2002/07/owl#"
14     xmlns:crm="http://purl.org/NET/crm-owl#"
15     xmlns:claros="http://purl.org/NET/Claros/vocab#">
16 <Shape+Name><title>Pelike</title><URI>http://www.beazley.ox.ac.uk/id/Shape+Name/Pelike</URI></Shape+Name>
17 </rdf:RDF>
```

4. Searches can be performed direct from a 3<sup>rd</sup> party application using the URL:  
[{Search Term}](http://www.beazley.ox.ac.uk/xdb/ASP/searchOpen.asp?Search={Search Term}){optional data format}

Where:

{Search Term} = a search term which can be a general Google style search or a complex structured search e.g.

**amphora herakles lion** (multiple terms treated as joined with 'and')

**herakles or lion** (use 'or' to return all results with either the first or second term)

**"victoria and albert" maenad** (use "" to bracket an exact phrase)

**[Shape Name] HYDRIA {AND} [Artist Name] ANTIMENES P** (using specific field names and conjunctions)

**[Artist Name] HAIMON P {AND} ( [Provenance] ITALY, SPINA {OR} [Provenance] SAMOS, HERAION )** (using specific field names and conjunctions and bracketing)

{optional data format} =

- None: Web friendly display
- /csv: CSV format
- /xml: XML format
- /rdf: RDF format (CIDOC CRM encoded).



E.g.

<https://www.beazley.ox.ac.uk/XDB/ASP/searchOpen.asp?Search=herakles+lion+amphora>

The screenshot shows the Beazley Archive Pottery Database search results for the query 'herakles lion amphora'. The page header includes the 'CLASSICAL ART RESEARCH CENTRE' logo and the 'UNIVERSITY OF OXFORD' logo. The search results are displayed in a table with columns for 'Vase Number' and 'Fabric'. The results list various artifacts, including those from New York, London, and Munich.

Vase Number	Fabric
14	New York (NY), private, London, market, Sotheby's, Basel, market, Munzen und Medaillen A.G.
37	Kyoto, Hashimoto Collection, Japan, private, Paris, Market, 130
596	Boston (MA), Museum of Fine Arts, London, market, Sotheby's, 1970.69
705	New York (NY), Metropolitan Museum, New York (NY), Metropolitan Museum, GR523
1014	New York (NY), Metropolitan Museum, New York (NY), Gallatin, London, market, Sotheby's, 41
1493	Munich, Antikensammlungen, Munich, Antikensammlungen, Rome, Candelori Collection, 1556
1494	Cleveland (OH), Museum of Art, 70.16
1576	Munich, Antikensammlungen, Munich, Antikensammlungen, Unknown, Casino Collection, 1304

<https://www.beazley.ox.ac.uk/XDB/ASP/searchOpen.asp?Search=herakles+lion+amphora/xml>

The screenshot shows the XML output for the search query 'herakles lion amphora'. The XML is displayed in a tree view, showing the structure of the data returned by the database. The root element is <XDBData>, which contains a <Record id="{8783A494-195F-45CB-8C04-B8ECC94E7C73}"> element. This element contains various attributes and nested elements, including <Vase-Number>, <Fabric>, <Technique>, <Shape-Record>, <Date-Range>, <Attributed-To>, and <Artist>.

```
<XDBData>
  <Record id="{8783A494-195F-45CB-8C04-B8ECC94E7C73}">
    <Vase-Number>14</Vase-Number>
    <Fabric>ATHENIAN</Fabric>
    <Technique>BLACK-FIGURE</Technique>
    <Shape-Record>
      <Shape-Code>NKA</Shape-Code>
      <Shape-Name>AMPHORA, NECK</Shape-Name>
    </Shape-Record>
    <Date-Range>575-525</Date-Range>
    <Attributed-To>
      <Artist>
        <Artist-Code>BOTCL</Artist-Code>
        <Artist-Name>BOTKIN CLASS</Artist-Name>
      </Artist>
    </Attributed-To>
  </Record>
</XDBData>
```





## PROGRAMMATIC METHODS OF ACCESSING CARC DATABASE IMAGES

Important: CARC does not hold copyright for many images visible through the CARC databases, so can offer no licence for use. Use is entirely at your own risk, must be for non-commercial purposes, and the source should be acknowledged in any public use.

High resolution images are stored in JTIP and IIP image formats with copyright watermarks, which are not downloadable programmatically. You can download the "full screen" size images (approx. 800 x 800 pixels).

Links to the images are stored in the XML data in the XDBData / Record / Image-Record / Filename tags e.g.:

<http://www.beazley.ox.ac.uk/record/AA1CD952-927D-41D7-B7AF-39520936CF95/xml>

```
<Beilage> D4 </Beilage>
</Publication-Record>
<CAVI-Collection> - </CAVI-Collection>
<LIMC-ID> 6368 </LIMC-ID>
<LIMC-Web> http://ark.dash.swiss/ark:/72163/880c-73fdcf50aa07b-9 </LIMC-Web>
<Image-Record>
  <Filename> Images200/GER37/CVA.GER37.1830.2/ </Filename>
  <Image-No> 0 </Image-No>
  <Licence-Plate> 11 UK 1007 46522 </Licence-Plate>
  <Image-Type> 0 </Image-Type>
  <Beazley-Drawing> N </Beazley-Drawing>
</Image-Record>
<Image-Record>
  <Filename> Images200/GER37/CVA.GER37.BEIL.D4/ </Filename>
  <Image-No> 3 </Image-No>
  <Licence-Plate> 11 UK 1007 46632 </Licence-Plate>
  <Beazley-Drawing> N </Beazley-Drawing>
</Image-Record>
<Image-Record>
  <Filename> Images200/GER37/CVA.GER37.1830.2/ </Filename>
```

To access the full screen image put

<http://www.beazley.ox.ac.uk/Vases/SPIFF/>

in front of the **Filename** in the XML data and [cc001001.jpe](#) after the filename

e.g. as per the highlighted example above:

<http://www.beazley.ox.ac.uk/Vases/SPIFF/Images200/GER37/CVA.GER37.1830.2/cc001001.jpe>




## DOWNLOADING THE FULL DATABASE

To download the full database, the simplest method is to use the Faceted Search page:

<https://www.beazley.ox.ac.uk/XDB/ASP/searchOpen.asp>

The **download** link allows you to export the results of the current search. If you do not enter any search criteria the full dataset is shown – the number of records in the top right.

# CLASSICAL ART RESEARCH CENTRE



## Beazley Archive Pottery Database - Faceted Search Form

Showing search results for: **All Pottery**

General search term	Results
<input type="text"/> <a href="#">help examples</a>	(117007) <input type="checkbox"/> image <input type="checkbox"/> all images <input checked="" type="checkbox"/> text <input type="checkbox"/> detailed text <input type="checkbox"/> map <input type="checkbox"/> timeline <input type="checkbox"/> lightbox <a href="#">download</a>
<b>Combining search terms</b> When selecting multiple search terms from the lists below, combine them with: AND <input "="" type="button" value="("/> <input type="button" value=")"/> Use * as a wildcard when searching lists	1, ATHENIAN, Munich, Antikensammlungen, Munich, Antikensammlungen, Rome, Candelori Collection, 1539 2, ATHENIAN, Athens, Agora Museum, P13332 3, ATHENIAN, Rome, Mus. Naz. Etrusco di Villa Giulia, 63614 4, ATHENIAN, Budapest, Hungarian Museum of Fine Arts, 50.732

You must have an account on the CARC databases to continue. If you don't have one, you can click to create one.

### Export Data

You are welcome to use Classical Art Research Centre data for the purposes of private research or education. The publication or dissemination of research based on downloaded data must acknowledge the source. Please let us know how you have made use of our data. This is important for our funding and for ongoing improvements to the service.

You must login to download data

If you do not already have a CARC account, [click to create one now](#).

Enter your user name

And a password

Login

Cancel

Enter the purpose of use. Then click the **XML** link.

## Export Data

You are welcome to use Classical Art Research Centre data for the purposes of private research or education. The publication or dissemination of research based on downloaded data must acknowledge the source. Please let us know how you have made use of our data. This is important for our funding and for ongoing improvements to the service.

You are logged in as *Parker, Greg*

Please let us know briefly how you intend to use the data

The data you have searched on is: *Pottery Database*.

Click on the format you would like to download the data

**NB. Exports with a large number of records can take a considerable amount of time to prepare and will produce large data files which may take a long time to download depending on your connection speed.**

**Please click the link only once and wait for a link to your prepared file to be shown below.**

[CSV \(Spreadsheet / Comma Separated\)](#)


[TSV \(Tab Separated\) Full Data](#)

[TSV \(Tab Separated\) Abbreviated Data](#)

[XML](#)

[RDF](#)

This may take a long time to prepare large data files. When it has completed, right click on the link and save the file to your machine.



**Please click the link only once and wait for a link to your prepared file to be shown below.**

Your file has been prepared. [Right click here and select 'Save As' to save to your machine. Or click to open in your web browser \(this may take a considerable amount of time\)](#)

Cancel

- Open link in new tab
- Open link in new window
- Open link in incognito window
- Save link as...**
- Copy link address
- Inspect Ctrl+Shift+I

<https://www.beazley.ox.ac.uk/XDB/TempDocs/export874E33848B36401885CC14A8CD06F740.xml>